Echo Precast Engineering NV, 3530 Houthalen, Belgium

Westkon Precast: "Flexible slipformer production is the key to success"

Westkon Precast, one of the largest manufacturers of precast concrete in Australia, is concentrating more intensely on hollow core slab and other pre-stressed concrete products by investing in flexible slipformer technology. A new, extremely maintenance-friendly Universal Slipformer, delivered by the Belgian Supplier Echo Precast Engineering, is part of that strategy. The Australian company, which has two production facilities in Melbourne, and is convinced that this manufacturing method and these products are set to do well in the future.

Westkon Precast, founded in 1987, began to manufacture hollow core slab alongside its established production of reinforced and prestressed precast concrete elements. However, the existing equipment had become outdated and worn and had to be replaced. Simon Hughes, the project manager of the upgrade recalls, "We were faced with the decision of patching up our existing equipment, ceasing production of

hollow core or to invest in new equipment. We decided on the latter and to extend our product portfolio in this segment even further." In order to reach this goal, according to the project manager, they needed the latest technology, which could also manufacture a large range of products.

Convinced by flexibility

The Australian manufacturer visited producers and service providers throughout Europe. "We explored all the methods of production - from extrusion, through slipformer technology to wet cast," continues Hughes. Finally, Westkon Precast was won over by the flexibility of slipform technology. "We then started looking for a slipformer, which is easy to use, quick to convert and maintenance-friendly," adds Hughes. The fact that the choice fell on the Universal Slipformer from Echo Precast Engineering, one of the companies in the Progress Group, was no accident, according to the project manager.



For several months now a Universal Slipformer and the corresponding ancillary equipment for the manufacture of a variety of prestressed concrete products have been in use on the two 150 m long beds: as well as hollow core slab, massive and stadium slabs are produced.

CONGRETE VISION

EBAWE designs, engineers and installs complete production plants for the manufacture of the most varied precast concrete panels. We are the ideal partner for your projects – regardless of size and kind.

www.ebawe.de

Visit our stand C10! 11.10. – 12.10.2017

Offsite Show

www.off-siteshow.co.uk London – England


Visit our stand 76! 26.11. – 27.11.2017

ICCX Middle East

www.iccx.org/middle-east Sharjah – UAE







The Universal Slipformer allows Westkon Precast to manufacture hollow core slabs 20 to 50 cm in height.

We were attracted by the flexibility of this machine - it was very important for us to be able to manufacture, using automated equipment, which, in addition to producing hollow core slabs, was able to manufacture new products for the market, such as solid planks and stadium plates."

Hollow core slabs themselves, according to Hughes, are still considered a relatively new product in Australia and for this reason will attract interest particularly with an extended range and new products being possible. "It's certainly becoming more popular," he adds. The major reasons for this, thinks

Hughes, are the efficiency and speed of manufacture and installation as well as the large spans, which can be achieved with hollow core slabs.

Universal Slipformer with two exchangeable production units and eight slipformer moulds

Two brand new production units and new mould sets allow Westkon Precast to manufacture a wide range of products. The first production unit is designed for the manufacture of hollow core slabs 1.20 m in width and 20 to 50 cm in height.



Already, two stadiums have been equipped with the stadium slabs produced by the new slipformer.



For the Simonds Stadium in Geelong Westkon Precast produced over 8500 m² of hollow core slabs and 1250m² of the new lower bowl stadium plates.

PRECAST CONCRETE ELEMENTS

An additional mould set is used to produce stadium plates that were used on the latest stage of the new Simonds Stadium Grandstand. Westkon Precast uses the second production unit to manufacture hollow core slab 15 cm in height and pre-stressed solid planks 8 to 15 cm in height. It only takes a few minutes to change over the production units. Even changing the various sets takes less than half an hour. With the Universal Slipformer Westkon Precast is able to cover a wide product spectrum and react quickly to market demands. A multi-angle sawing machine, a fresh concrete saw, a multi-function trolley and a plotter see Westkon with a highly automated production facility.

Positive interim results: first projects already concluded

The new products - pre-stressed solid planks and stadium plates - have been well received on the market," says Simon Hughes with satisfaction. Two stadiums have already been equipped with these elements. For the Simonds Stadium in Geelong, as well as precast walls, columns, beams, seating plates and steps, Westkon Precast produced over 8500 m² of hollow core slabs and 1250m² of the new lower bowl stadium plates. The entire structure of the arena, which can hold 11,000 spectators, was constructed from precast concrete elements. Hughes is convinced that the future prospects for these production methods are positive. "The market is growing - but that is no guarantee of success. The key lies in flexibility."

FURTHER INFORMATION



Westkon Precast
Melton Plant (Head Office)
133-199 Ferris Road
Melton, VIC 3337, Australia
T +61 3 87461300
F +61 3 97473088
info@westkon.com.au
www.westkon.com.au




Echo Precast Engineering NV
Industrieterrein Centrum Zuid 1533
3530 Houthalen, Belgium
T + 32 11 600800
F + 32 11 522093
info@echoprecast.com
www.echoprecast.com

PFEIFER

THE PFEIFER DB ANCHORS:

Effective fixing

anchor system now with seismic approval



he PFEIFER DB anchors for permanent point fixings with the first European Technical Assessment for cast-in-concrete anchors now also for seismic applications.

Your advantages:

- · Safe and reliable use due to European Technical Assessment
- The DB base anchor can also be used in the seismic performance categories C1 and C2
- No more bothersome drilling during assembly
- · Clear identification of the load direction using sign clip
- · Five sizes available, each as waved anchor or as foot-mounted anchor

Rely on flexible connection systems with safety and quality. We look forward to taking your call in our branches.

PFEIFER makes the difference.

Pfeifer Seil- und Hebetechnik GmbH Dr.-Karl-Lenz-Str. 66 · D-87700 Memmingen Phone +49 (0) 83 31-937-290 Fax +49 (0) 83 31-937-342 E-mail bautechnik@pfeifer.de · www.pfeifer.info